

10/535442

1/3

Fig. 1.

**A. The *gyrB* amplification product of *Haemophilus influenzae*  
and the location of the probes**

5'-cgfcctggtatgtatatcgg<sup>21</sup>cgataccgatgacgggtactggtttgcacc  
atatggtatttgaagtgggtggataatgccattgatgaagccctcgctggcc  
attgttccgatattatcgtgacaattcacgatgataattctgtatcggtgcaa<sup>18</sup>  
gatgatggggcgggattcctgtggatattcatcctgaagaaggcgtttct  
gcagcagaagtattatgactgtgcttcacgcaggcggtaaatttgacga<sup>19</sup>  
aactcttataaagtatcg<sup>20</sup>ggcgggtttacacggcggtggg-3'

**B. The *gyrB* amplification product of *Moraxella catarrhalis*  
and the location of the probes**


5'-cgaccagggatgtatattgg<sup>43</sup>gataccgatgatggtacaggcttgca  
ccatatggtgtttgaggtgggtggatatgccattgatgaggcattggcaggtc  
actgtgatgagattaatattatcgtccatgacgatgaatctgtttcggtgatg  
gagtatgggcgtggtattcctgtggatatccaccctgaagaagggtgatc<sup>42</sup>  
agctgccgagggtattatgacgggtgcttcacgcaggcggtaaatttgatgat<sup>40</sup>  
aattcatacaaagtatct<sup>41</sup>gggggcctgcacggcgtagg-3'

10/535442

2/3

Fig. 2

Positive control



Positive controls

*Staphylococcus aureus* -positive *gyrB* oligonucleotides  
(4 pcs., Table 4B: oligonucleotides 21 - 24).

10/535442

3/3




Fig. 3

1. *Streptococcus pneumoniae*
2. *Streptococcus pyogenes*
3. *Streptococcus oralis*
4. *Streptococcus mitis*
5. Negative control
6. *Moraxella catarrhalis*
7. *Moraxella cuniculi*
8. *Moraxella caviae*
9. *Neisseria gonorrhoeae*
10. Negative control
11. Size marker

BEST AVAILABLE COPY